

ECMWF COPERNICUS REPORT

Copernicus Climate Change Service



# Product Quality Assessment Report (PQAR) – ANNEX B for products CO2\_GOS\_SRFP, CH4\_GOS\_SRFP (v2.3.8, 2009-mid2020)

## C3S\_312b\_Lot2\_DLR – Atmosphere

Issued by: Lianghai Wu, SRON, The Netherlands Date: 23/04/2021 Ref: C3S\_D312b\_Lot2.2.3.2-v3.0\_PQAR-GHG\_ANNEX-B\_v5.0 Official reference number service contract: 2018/C3S\_312b\_Lot2\_DLR/SC1







This document has been produced in the context of the Copernicus Climate Change Service (C3S). The activities leading to these results have been contracted by the European Centre for Medium-Range Weather Forecasts, operator of C3S on behalf of the European Union (Delegation Agreement signed on 11/11/2014). All information in this document is provided "as is" and no guarantee or warranty is given that the information is fit for any particular purpose. The user thereof uses the information at its sole risk and liability. For the avoidance of all doubts, the European Commission and the European Centre for Medium-Range Weather Forecasts has no liability in respect of this document, which is merely representing the authors view.



## Contributors

### INSTITUTE OF ENVIRONMENTAL PHYSICS (IUP), UNIVERSITY OF BREMEN, BREMEN, GERMANY (IUP) M. Buchwitz

## SRON NETHERLANDS INSTITUTE FOR SPACE RESEARCH, UTRECHT, THE NETHERLANDS (SRON) I. Aben L. Wu

O. P. Hasekamp



Table of Contents	
History of modifications	5
Related documents	6
Acronyms	7
General definitions	9
Scope of document	10
Executive summary	11
1. Product validation methodology	12
1.1 Co-location method	12
2. Validation Results	16
2.1 Product CO2_GOS_SRFP	16
2.1.1 Validation	16
2.1.2 Stability	19
2.1.3 Validation summary	24
2.2.1 Validation	<b>25</b>
2.2.2 Stability	23
2.2.3 Validation summary	33
3. Application(s) specific assessments	34
4. Compliance with user requirements	34
References	35

Version	Date	Description of modification	Chapters / Sections
1.1	20-October-2017	New document for data set CDR1 (2009-2016)	All
2.0	4-October-2018	Update for CDR2 (2009-2017)	All
3.0	12-August-2019	Update for CDR3 (2009-2018)	All
3.1	03-November-2019	Update after review by Assimila: Primarily correction of typos.	All
4.0	18-August-2020	Update for CDR4 (2009-2019)	All
5.0 beta	18-February-2021	Update for CDR5 (2009-mid2020)	All
5.0	23-April-2021	Improvements after review by Assimila (formatting issues)	All

## History of modifications




## **Related documents**

Reference ID	Document
	Main PQAR:
	Buchwitz, M., et al., Product Quality Assessment Report (PQAR) – Main document for Greenhouse Gas (GHG: CO <sub>2</sub> & CH <sub>4</sub> ) data set CDR 5 (01.2003- 06.2020), project C3S_312b_Lot2_DLR – Atmosphere, v5.0, 2021.
D1	Important Note:
	This document is an ANNEX to the Main PQAR document and contains the quality assessment results of the data provider.
	For the final overall quality assessment results of the data products described in this document see the Main PQAR document.



## Acronyms

Acronym	Definition
ATBD	Algorithm Theoretical Basis Document
CAR	Climate Assessment Report
C3S	Copernicus Climate Change Service
CCI	Climate Change Initiative
CDR	Climate Data Record
CDS	(Copernicus) Climate Data Store
CRG	Climate Research Group
D/B	Data base
EC	European Commission
ECMWF	European Centre for Medium Range Weather Forecasting
ECV	Essential Climate Variable
EO	Earth Observation
ESA	European Space Agency
EU	European Union
EUMETSAT	European Organisation for the Exploitation of Meteorological Satellites
FP	Full Physics retrieval method
FTIR	Fourier Transform InfraRed
FTS	Fourier Transform Spectrometer
GCOS	Global Climate Observing System
GEOSS	Global Earth Observation System of Systems
GHG	GreenHouse Gas
GOSAT	Greenhouse Gases Observing Satellite
IPCC	International Panel in Climate Change
IUP	Institute of Environmental Physics (IUP) of the University of Bremen, Germany
JAXA	Japan Aerospace Exploration Agency
КІТ	Karlsruhe Institute of Technology
L1	Level 1
L2	Level 2
L3	Level 3
L4	Level 4
LMD	Laboratoire de Météorologie Dynamique
MACC	Monitoring Atmospheric Composition and Climate, EU GMES project
NA	Not applicable
NetCDF	Network Common Data Format
NIES	National Institute for Environmental Studies
NIR	Near Infra Red





## General definitions

Table 1 lists some general definitions relevant for this document.

Table 1: General definitions.

Item	Definition
XCO <sub>2</sub>	Column-averaged dry-air mixing ratios (mole fractions) of CO <sub>2</sub>
XCH <sub>4</sub>	Column-averaged dry-air mixing ratios (mole fractions) of CH <sub>4</sub>
L1	Level 1 satellite data product: geolocated radiance (spectra)
L2	Level 2 satellite-derived data product: Here: $CO_2$ and $CH_4$ information for each ground-pixel
L3	Level 3 satellite-derived data product: Here: Gridded $CO_2$ and $CH_4$ information, e.g., 5 deg times 5 deg, monthly
L4	Level 4 satellite-derived data product: Here: Surface fluxes (emission and/or uptake) of $CO_2$ and $CH_4$



## Scope of document

This document is a Product Quality Assessment Report (PQAR) for the Copernicus Climate Change Service (C3S, <u>https://climate.copernicus.eu/</u>) greenhouse gas (GHG) component as covered by project C3S\_312b\_Lot2.

Within this project satellite-derived atmospheric carbon dioxide (CO<sub>2</sub>) and methane (CH<sub>4</sub>) Essential Climate Variable (ECV) data products will be generated and delivered to ECMWF for inclusion into the Copernicus Climate Data Store (CDS) from which users can access these data products and the corresponding documentation.

The GHG satellite-derived data products are:

- Column-averaged dry-air mixing ratios (mole fractions) of CO<sub>2</sub> and CH<sub>4</sub>, denoted XCO<sub>2</sub> (in parts per million, ppm) and XCH<sub>4</sub> (in parts per billion, ppb), respectively.
- Mid/upper tropospheric mixing ratios of CO<sub>2</sub> (in ppm) and CH<sub>4</sub> (in ppb).

This document describes the validation / quality assessment of C3S products CO2\_GOS\_SRFP and CH4\_GOS\_SRFP.

These products are  $XCO_2$  and  $XCH_4$  Level 2 products as retrieved from GOSAT using algorithms developed at SRON, The Netherlands.

### **Executive summary**

This report summarizes the performance of the RemoTeC CO2\_GOS\_SRFP and CH4\_GOS\_SRFP retrievals. In general, we find very good agreement with TCCON data for all three modes (gain H, gain M and sunglint) for both products. All have a very high degree of correlation with TCCON (R~0.9).

For the CO2\_GOS\_SRFP product the station to station bias is 0.42 ppm and a standard deviation of around 1.94 ppm is observed for most TCCON stations. For the CH4\_GOS\_SRFP product the station to station bias is 3.42 ppb and a standard deviation of around 14.33 ppb is observed for most TCCON stations. We also checked the stability of the bias over time for both products as the GOSAT time series now spans a period of 9.5 years and found that there has been no significant change in the bias over time, indicating a very good detector stability. We achieved both Target Requirement (TR) requirements (100 % chance TR is met) for accuracy and stability for the CH4\_GOS\_SRFP product, while for CO2\_GOS\_SRFP we achieved a 75 % chance that the TR is met for accuracy and a 100 % chance that the TR is met for stability.

## 1. Product validation methodology

Validation of the CH4\_GOS\_SRFP and CO2\_GOS\_SRFP products is performed by comparison a selection of ground-based FTS TCCON stations. These provide total column XCH4 and XCO2 measurements that are used to filter our retrievals and perform a bias correction of our data product. The final filtered and bias corrected product is then compared to TCCON to evaluate the global bias, retrieval accuracy and systematic biases (spatial and temporal) in the retrievals. In this validation, the TCCON GGG2014 official release has been used.

#### **1.1 Co-location method**

We co-locate the GOSAT soundings with the TCCON measurements using the following criteria:


- GOSAT sounding within ±5 latitude and ±8 longitude of TCCON station
- GOSAT sounding within ±2 hours of TCCON measurements

In previous studies, we have also employed a dynamic co-location method, based on a TM5-4DVAR forward model run. This essentially compares the modeled CO2 concentration at a GOSAT sounding and the TCCON site and co-locates the soundings if the CO2 concentrations are within 0.25 (or 0.5) ppm of each other. This is then used as a tracer for atmospheric transport. However, at the time of validating this dataset the dynamic co-locations for the newest year were not yet available. We therefore decided to use a box filter instead as we did want to include the newest year's data in our validation and wanted the whole dataset to have a consistent method for co-locating the GOSAT soundings.

We then average all the TCCON measurements within ±2 hours of a GOSAT measurement to create a set of GOSAT-TCCON pairs. These co-located pairs are then used to perform the validation procedure.

Figure 1-3 shows the co-located example soundings for the gain H, gain M and sunglint stations respectively.

Figure 1: GOSAT co-located example soundings for each TCCON station for gain H soundings. The map shows the elevation with dark green being low elevations and light green showing elevated areas. The blue stars show the location of the TCCON site, while the red dots are co-located GOSAT soundings. Top to down (left column) stations: Bialystok, Darwin, Karlsruhe, Orleans, Saga, Wollongong. Top to down (right column) stations: Bremen, Garmisch, Lamont, Park Falls, Sodankyla.









Figure 2: As Fig 1 but for gain M soundings. Stations are Dryden (top left), Izana (top right) and Wollongong (bottom left).









Figure 3: As Fig 1 but for sunglint soundings. Stations are Ascension (top left), Izana (top right), Reunion (bottom left) and Wollongong (bottom right).

## 2. Validation Results

#### 2.1 Product CO2\_GOS\_SRFP

#### 2.1.1 Validation

Figure 4: Validation of XCO2 retrieved by GOSAT-RemoTeC with ground based TCCON measurements for gain H (top left),gain H year 2020 only (top right), gain M (bottom left) and sunglint (bottom right) soundings. N(coloc) indicates the number of GOSAT-TCCON colocations, B indicates the bias between GOSAT and TCCON, and STD the standard deviation of the GOSAT TCCON difference (for individual measurements) and B\_station the station to station bias.



The above figures all show a strong correlation of the retrieved (bias-corrected) XCO2 with the TCCON XCO2 (r  $\sim$  0.9). 2020 shows a smaller correlation but that is due to the limited range of XCO2 values covered in 2020 compared to the whole time series. This gives us confidence that our bias correction based on the retrieved albedo works correctly and takes out most of the bias.

The figure below (Fig 5) shows in detail for each station the remaining bias and standard deviation for the co-located GOSAT soundings for the period between the year 2009 and 2020. We include Izana in the gain M and sunglint validation to improve the otherwise limited gain M validation.

In the case of gain H, the station to station standard deviation is 0.42 ppm. Lamont shows a small negative remaining bias, while Sodankyla has a large positive remaining bias of almost 1 ppm. For gain M and sunglint, Izana shows a negative bias. Lamont clearly shows the most co-locations and dominates the total statistical comparison.

For gain M and sunglint we removed Darwin from the comparison as using the static spatial colocation criterion it only had limited co-located measurements.

Figure 5: The bias, standard deviation and number of measurements per station for gain H (top), gain M (middle) and sunglint (bottom) soundings for the period between the year 2009 and 2020.





Figure 6: The CO2\_GOS\_SRFP global dataset in slices of 10 degrees latitude as a function of time. The yearly increase in XCO2 concentrations can clearly be seen. The gap in data coverage during Dec 2014, Jan 2015 and Dec 2018 is due to GOSAT maintenance and testing.





#### 2.1.2 Stability

Stability (both linear and year-to-year variability) is an essential part of the validation and can reveal potential degradation or other time-dependent effects in the GOSAT data products.

Fig. 7-11 show the timeseries for the individual stations. As can be seen the time coverage for different stations can differ significantly and occasionally gaps occur due to maintenance of the TCCON station.

To determine the linear stability, we add all co-located TCCON measurements together and fit a linear relation to the remaining bias as a function of time. The year-to-year bias variability is the difference between the minimum of the bias in one year versus the maximum of the bias in one year. The results are shown in Table 2.





Figure 7: Timeseries for the individual stations for gain H for CO2 GOS SRFP.



#### Figure 8: Timeseries for the individual stations for gain H for CO2\_GOS\_SRFP (continued from Fig 7).





Figure 9: Timeseries for the individual stations for gain H (continued from Fig 7) for CO2\_GOS\_SRFP.



#### Figure 10: Timeseries for the individual stations for gain M for CO2\_GOS\_SRFP.




Figure 11: Timeseries for the individual stations for sunglint for CO2\_GOS\_SRFP.



### 2.1.3 Validation summary

The validation results are summarized in the table below.


	Table 2 - Product C	Quality Summary	Table for product CO2	GOS_SRFP.
--	---------------------	-----------------	-----------------------	-----------

Product Quality Summary Table for Product: CO2_GOS_SRFP Level: 2, Version: 2.3.8, Time period covered: 06.2009 – 06.2020					
Parameter [unit]	Achieved	Requirement	TR	Comments	
	performance				
Single measurement	1.95	< 8 (T)	-	-	
precision (1-sigma) in [ppm]		< 3 (B)			
		< 1 (G)			
Uncertainty ratio) in [-]:	1.10	-	-	No requirement but value	
Ratio reported uncertainty				close to unity expected for a high quality data	
to standard deviation of				product.	
satellite-TCCON difference					
Mean bias [ppm]	-0.05	-	-	No requirement but value	
				close to zero expected for a high quality data	
				product.	
Accuracy: Relative	Spatial –	< 0.5	Probability that	-	
systematic error [ppm]	spatiotemporal:		accuracy TR is met:		
	0.43-0.53		65 %		
Stability: Drift [ppm/year]	0.02 +/- 0.02	< 0.5	Probability that	-	
	(1-sigma)		stability TR is met:		
			98 %		
Stability: Year-to-year bias	0.69 +/- 0.19	< 0.5	-	-	
variability [ppm/year]	(1-sigma)				

#### 2.2 Product CH4\_GOS\_SRFP

#### 2.2.1 Validation

Figure 12: Validation of XCH4 retrieved by GOSAT-RemoTeC with ground based TCCON measurements for gain H (Top left), gain H year 2020 only (top right), gain M (bottom left) and sunglint (bottom right) soundings. N(coloc) indicates the number of GOSAT-TCCON colocations, B indicates the bias between GOSAT and TCCON, and STD the standard deviation of the GOSAT TCCON difference (for individual measurements) and B\_station the station to station bias.



The above figures all show a strong correlation of the retrieved (bias-corrected) XCH4 with the TCCON XCH4 (r  $\sim$  0.9). 2020 shows a smaller correlation but that is due to the limited range of XCO2 values covered in 2020 compared to the whole time series. This gives us confidence that our bias correction based on the retrieved albedo works correctly and takes out most of the bias.

The figure below (Fig 13) shows in detail for each station the remaining bias and standard deviation for the co-located GOSAT soundings. Unlike for the CO2\_GOS\_SRFP dataset, we do not include Izana here in the gain M validation, as its high altitude causes a large offset between measurements at the TCCON station and the Sahara Desert.



In the case of gain H, the station to station standard deviation is 3.48ppb. Saga also remains an outlier with a strong remaining negative bias, possibly due to inclusion of soundings in more polluted areas. Garmisch and Park Falls both show a positive offset, possibly due to the elevation of the TCCON stations (740 and 440 m respectively). Lamont clearly shows the most co-locations and dominates the total statistical comparison.

For gain M and sunglint we removed Darwin from the comparison as using the static spatial colocation criterion it only had limited co-located measurements.

Figure 13: The bias, standard deviation and # of measurements per station for gain H (top), gain M (middle) and sunglint (bottom) soundings for the period between the year 2009 and 2020.





Figure 14: The CH4\_GOS\_SRFP global dataset in slices of 10 degrees latitude as a function of time. The increase in XCH4 concentrations during the last couple of years can clearly be seen. The gap in data coverage during Dec 2014, Jan 2015 and Dec 2018 is due to GOSAT maintenance and testing.





#### 2.2.2 Stability

Stability (both linear and year-to-year variability) is an essential part of the validation and can reveal potential degradation or other time-dependent effects in the GOSAT data products.

Fig. 15-19 show the timeseries for the individual stations. As can be seen the time coverage for different stations can differ significantly and occasionally gaps occur due to maintenance of the TCCON station.

To determine the linear stability, we add all co-located TCCON measurements together and fit a linear relation to the remaining bias as a function of time. The year-to-year bias variability is the difference between the minimum of the bias in one year versus the maximum of the bias in one year. The results are shown in Table 3.







Figure 15: Timeseries for the individual stations for gain H for CH4\_GOS\_SRFP



#### Figure 16: Timeseries for the individual stations for gain H for CH4\_GOS\_SRFP (continued from Fig 15).



#### Figure 17: Timeseries for the individual stations for gain H for CH4\_GOS\_SRFP (continued from Fig 15).



#### Figure 18: Timeseries for the individual stations for gain M for CH4\_GOS\_SRFP.




Figure 19: Timeseries for the individual stations for sunglint for CH4\_GOS\_SRFP.

## 2.2.3 Validation summary

The validation results are summarized in the table below.

Table 3 - Product Quality	y Summary	/ Table for	product CH4	GOS SRFP.

Product Quality Summary Table for Product: CH4_GOS_SRFP Level: 2, Version: 2.3.8, Time period covered: 06.2009 – 06.2020					
Parameter [unit]	Achieved performance	Requirement	TR	Comments	
Single measurement precision (1-sigma) in [ppb]	14.43	< 34 (T) < 17 (B) < 9 (G)	-	-	
Uncertainty ratio) in [-]: Ratio reported uncertainty to standard deviation of satellite-TCCON difference	1.22	-	-	No requirement but value close to unity expected for a high quality data product.	
Mean bias [ppb]	-0.40	-	-	No requirement but value close to zero expected for a high quality data product.	
Accuracy: Relative systematic error [ppb]	Spatial – spatiotemporal: 3.48 – 5.60	< 10	Probability that accuracy TR is met: 86%	-	
Stability: Linear bias trend [ppb/year]	-0.37 +/- 0.15 (1-sigma)	< 3	Probability that stability TR is met: 99%	-	
Stability: Year-to-year bias variability [ppb/year]	6.14 +/- 1.86 (1-sigma)	< 3	-	-	



## 3. Application(s) specific assessments

No application specific assessments have been carried out.

## 4. Compliance with user requirements

For the CO2\_GOS\_SRFP product we reached a 75 % chance that the TR is met for Accuracy and a 100 % chance the TR is met for Stability.

For the CH4\_GOS\_SRFP product both Accuracy and Stability achieved a TR of 100 %.

## References

**Buchwitz et al., 2015:** Buchwitz, M., Reuter, M., Schneising, O., Boesch, H., Guerlet, S., Dils, B., Aben, I., Armante, R., Bergamaschi, P., Blumenstock, T., Bovensmann, H., Brunner, D., Buchmann, B., Burrows, J.P., Butz, A., Chédin, A., Chevallier, F., Crevoisier, C.D., Deutscher, N.M., Frankenberg, C., Hase, F., Hasekamp, O.P., Heymann, J., Kaminski, T., Laeng, A., Lichtenberg, G., De Mazière, M., Noël, S., Notholt, J., Orphal, J., Popp, C., Parker, R., Scholze, M., Sussmann, R., Stiller, G.P., Warneke, T., Zehner, C., Bril, A., Crisp, D., Griffith, D.W.T., Kuze, A., O'Dell, C., Oshchepkov, S., Sherlock, V., Suto, H., Wennberg, P., Wunch, D., Yokota, T., Yoshida, Y., The Greenhouse Gas Climate Change Initiative (GHG-CCI): comparison and quality assessment of near-surface-sensitive satellite-derived CO2 and CH4 global data sets. Remote Sens. Environ. 162:344–362, http://dx.doi.org/10.1016/j.rse.2013.04.024, 2015.

**Buchwitz et al., 2016:** Buchwitz, M., Reuter, M., Schneising, O., Hewson, W., Detmers, R. G., Boesch, H., Hasekamp, O. P., Aben, I., Bovensmann, H., Burrows, J. P., Butz, A., Chevallier, F., Dils, B., Frankenberg, C., Heymann, J., Lichtenberg, G., De Mazière, M., Notholt, J., Parker, R., Warneke, T., Zehner, C., Griffith, D. W. T., Deutscher, N. M., Kuze, A., Suto, H., and Wunch, D.:, Global satellite observations of column-averaged carbon dioxide and methane: The GHG-CCI XCO<sub>2</sub> and XCH<sub>4</sub> CRDP3 data, Remote Sensing of Environment (in press), Special Issue on Essential Climate Variables, DOI: 10.1016/j.rse.2016.12.027, (link: http://dx.doi.org/10.1016/j.rse.2016.12.027), 2016.

**Buchwitz et al., 2017:** ESA Climate Change Initiative (CCI) Product Validation and Intercomparison Report (PVIR) for the Essential Climate Variable (ECV) Greenhouse Gases (GHG) for data set Climate Research Data Package No. 4 (CRDP#4), Version 5.0, 9. Feb. 2017, link: <u>http://www.esa-ghgcci.org/?q=webfm\_send/352</u>, 2017.

**Buchwitz et al., 2017a:** Buchwitz, M.; Reuter, M.; Aben, I.; Boesch, H.; Butz, A.; Detmers, R.G.; Frankenberg, C.; Hasekamp, O.P.; Parker, R.; Schneising, O.; Somkuti, P., ESA Greenhouse Gases Climate Change Initiative (GHG-CCI): Merged SCIAMACHY and GOSAT Level 3 gridded atmospheric column-average methane (XCH<sub>4</sub>) product in Obs4MIPs format version 2 (CRDP#4), Technical Note, link: <u>http://www.esa-ghg-cci.org/?q=webfm\_send/349</u>, pp. 11, 1 February 2017, 2017.

**Butz et al., 2011:** Butz, A., Guerlet, S., Hasekamp, O., et al., Toward accurate CO<sub>2</sub> and CH<sub>4</sub> observations from GOSAT, *Geophys. Res. Lett.*, doi:10.1029/2011GL047888, 2011.

**Butz et al., 2012:** Butz, A., Galli, A., Hasekamp, O., Landgraf, J., Tol, P., and Aben, I.: Remote Sensing of Environment, TROPOMI aboard Sentinel-5 Precursor : Prospective performance of CH<sub>4</sub> retrievals for aerosol and cirrus loaded atmospheres, 120, 267-276, doi:10.1016/j.rse.2011.05.030, 2012.

**Detmers et al., 2015:** Detmers, R. G., O. Hasekamp, I. Aben, S. Houweling, T. T. van Leeuwen, A. Butz, J. Landgraf, P. Koehler, L. Guanter, and B. Poulter, <u>Anomalous carbon uptake in Australia as</u> <u>seen by GOSAT</u>, Geophys. Res. Lett., 42, doi:10.1002/2015GL065161, 2015.

**ESA-CCI-GHG-URDv2.1:** Chevallier, F., et al., User Requirements Document (URD), ESA Climate Change Initiative (CCI) GHG-CCI project, Version 2.1, 19 Oct 2016, link: <u>http://www.esa-ghg-cci.org/?q=webfm\_send/344</u>, 2016.

**Kuze et al., 2009:** Kuze, A., Suto, H., Nakajima, M., and Hamazaki, T. (2009), Thermal and near infrared sensor for carbon observation Fourier-transform spectrometer on the Greenhouse Gases Observing Satellite for greenhouse gases monitoring, Appl. Opt., 48, 6716–6733, 2009.

**Kuze et al., 2016:** Kuze, A., Suto, H., Shiomi, K., Kawakami, S., Tanaka, M., Ueda, Y., Deguchi, A., Yoshida, J., Yamamoto, Y., Kataoka, F., Taylor, T. E., and Buijs, H. L.: Update on GOSAT TANSO-FTS performance, operations, and data products after more than 6 years in space, Atmos. Meas. Tech., 9, 2445-2461, doi:10.5194/amt-9-2445-2016, 2016.

**Schepers et al., 2012:** Schepers, D., Guerlet, S., Butz, A., Landgraf, J., Frankenberg, C., Hasekamp, O., Blavier, J.-F., Deutscher, N. M., Griffith, D. W. T., Hase, F., Kyro, E., Morino, I., Sherlock, V., Sussmann, R., Aben, I. (2012), Methane retrievals from Greenhouse Gases Observing Satellite (GOSAT) shortwave infrared measurements: Performance comparison of proxy and physics retrieval algorithms, J. Geophys. Res., 117, D10307, doi:10.1029/2012JD017549, 2012.

**TRD GHG, 2017:** Buchwitz, M., Aben, I., Anand, J., Armante, R., Boesch, H., Crevoisier, C., Detmers, R. G., Hasekamp, O. P., Reuter, M., Schneising-Weigel, O., Target Requirement Document, Copernicus Climate Change Service (C3S) project on satellite-derived Essential Climate Variable (ECV) Greenhouse Gases (CO<sub>2</sub> and CH<sub>4</sub>) data products (project C3S\_312a\_Lot6), Version 1, 28-March-2017, pp. 52, 2017.

**TRD GAD GHG, 2020:** Buchwitz, M., Aben, I., Armante, R., Boesch, H., Crevoisier, C., Hasekamp, O. P., Wu, L., Reuter, M., Schneising-Weigel, O., Target Requirement and Gap Analysis Document, Copernicus Climate Change Service (C3S) project on satellite-derived Essential Climate Variable (ECV) Greenhouse Gases (CO<sub>2</sub> and CH<sub>4</sub>) data products (project C3S\_312b\_Lot2), Version 2.11, 9-April-2020, pp. 80, 2020.

**Wunch et al. 2015:** Wunch, D., Toon, G.C., Sherlock, V., Deutscher, N.M., Liu, X., Feist, D.G., Wennberg, P.O., The Total Carbon Column Observing Network's GGG2014 Data Version. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, Oak Ridge, Tennessee, USA (available at: doi:10.14291/tccon.ggg2014.documentation.R0/1221662), 2015.

**Yokota et al., 2009:** Yokota, T., Y. Yoshida, N. Eguchi, Y. Ota, T. Tanaka, H. Watanabe, and S. Maksyutov (2009), Global concentrations of CO2 and CH4 retrieved from GOSAT: First preliminary results, SOLA, 5, 160-163.

**Yoshida et al., 2010:** Yoshida, Y., Y. Ota, N. Eguchi, N. Kikuchi, K. Nobuta, H. Tran, I. Morino, and T. Yokota (2010), Retrieval algorithm for CO2 and CH4 column abundances from short-wavelength infrared spectral observations by the greenhouse gases observing satellite, Atmospheric Measurement Techniques Discussions, 3(6), 4791-4833, doi:10.5194/amtd-3-4791-2010.

## Copernicus Climate Change Service

ECMWF - Shinfield Park, Reading RG2 9AX, UK

Contact: info@copernicus-climate.eu

climate.copernicus.eu copernicus.eu

ecmwf.int